12128000 THORNTON CREEK NEAR SEATTLE, WA--Continued

WATER-QUALITY RECORDS

PERIOD OF RECORD.--March 1996 to current year.

PERIOD OF DAILY RECORD.--
SPECIFIC CONDUCTANCE: March 1996 to September 1998.
WATER TEMPERATURE: March 1996 to curent year.
DISSOLVED OXYGEN: March to September 1996.

INSTRUMENTATION.--Water-quality monitor since March 1996. Electronic data logger with fifteen-minute recording interval.

REMARKS.--Records excellent except for Feb. 3 to 11, 17, and June 3-12, which are good. Unpublished dissolved oxygen data for portions of the 1997 water year are available in the files of the Washington District office.

EXTREMES FOR PERIOD OF DAILY RECORD.--
SPECIFIC CONDUCTANCE: Maximum recorded, 330 microsiemens Aug. 13, 1996, but may have been higher during periods of missing record; minimum recorded, 46 microsiemens Mar. 18, 1997, but may have been lower during periods of missing record.
WATER TEMPERATURE: Maximum recorded, 23.0°C (rounded) July 27, 1998; minimum recorded, 0.0°C (rounded) Dec. 29, 1996.
DISSOLVED OXYGEN: Maximum recorded, 12.7 mg/L Mar. 20, 1996, but may have been higher during periods of missing record; minimum recorded, 5.0 mg/L Apr. 7, 1996, but may have been lower during periods of missing record.

EXTREMES FOR CURRENT YEAR.--
WATER TEMPERATURE: Maximum recorded, 19.3°C Aug. 10; minimum recorded, 2.6°C Feb. 16.

TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
		OCTOBER			NOVEMBER			DECEMBER			JANUARY	
1	15.0	13.4	14.2	10.4	9.2	9.8	9.1	7.7	8.5	7.9	6.4	7.0
2	13.7	12.6	13.2	10.8	10.1	10.3	9.3	8.0	8.9	8.3	6.9	7.6
3	12.9	11.6	12.3	10.9	9.6	10.3	8.0	6.5	7.2	7.9	6.7	7.4
4	12.5	10.3	11.5	11.3	10.1	10.7	7.8	7.0	7.3	9.5	7.9	8.5
5	12.3	10.1	11.3	10.9	10.1	10.5	7.1	6.0	6.6	9.2	8.5	8.9
6	12.5	9.8	11.3	10.8	9.9	10.5	7.1	5.9	6.5	8.5	6.7	7.7
7	12.4	10.1	11.4	10.1	9.1	9.6	7.1	5.8	6.5	7.8	5.7	6.7
8	13.4	11.5	12.4	10.1	9.0	9.3	7.4	6.8	7.0	8.6	7.8	8.1
9	13.7	12.7	13.2	9.6	8.7	9.3	7.6	7.0	7.3	8.0	6.4	7.1
10	13.5	12.7	12.9	8.7	7.7	8.1	7.2	5.2	6.3	7.8	7.2	7.5
11	13.1	11.9	12.5	7.9	6.3	7.0	5.2	4.4	4.7	8.3	7.5	7.8
12	12.8	11.3	12.0	7.9	6.9	7.4	4.4	3.4	4.0	8.1	7.3	7.8
13	13.3	12.4	12.7	7.9	7.1	7.5	5.1	4.2	4.6	8.0	7.3	7.6
14	13.3	11.8	12.9	7.6	6.3	6.8	5.1	4.2	4.6	7.5	6.8	7.3
15	11.8	10.1	10.8	6.3	5.1	5.8	5.1	4.7	4.9	7.4	6.2	6.8
16	12.7	11.0	11.8	6.0	4.9	5.5	7.0	5.1	6.1	6.2	5.6	5.9
17	13.4	12.1	12.8	5.9	4.5	5.3	7.0	6.0	6.5	6.7	5.5	6.0
18	13.6	12.6	13.3	6.0	4.7	5.4	6.6	5.4	5.9	7.3	6.6	6.9
19	12.6	11.3	12.0	7.1	5.3	6.1	6.9	5.7	6.6	7.9	6.8	7.4
20	13.1	11.9	12.7	7.4	6.1	6.8	6.5	5.2	5.8	7.4	6.1	6.7
21	11.9	10.8	11.3	7.1	5.8	6.4	6.9	6.3	6.6	7.4	6.3	6.8
22	11.2	9.8	10.6	6.1	4.9	5.6	7.2	6.4	6.8	7.2	6.1	6.7
23	11.0	9.4	10.3	7.8	5.5	6.4	7.7	7.2	7.5	7.3	5.6	6.5
24	11.0	9.2	10.2	8.9	7.8	8.5	8.0	7.5	7.7	7.8	7.2	7.4
25	11.7	10.4	11.1	8.6	8.0	8.3	7.9	7.5	7.7	7.5	6.1	6.7
26	11.7	10.7	11.2	8.8	8.2	8.5	8.5	7.6	8.0	6.3	4.9	5.7
27	11.8	11.3	11.6	8.4	7.3	8.1	8.7	7.6	8.3	5.7	4.4	5.1
28	11.8	11.1	11.5	7.3	6.2	6.9	7.9	7.0	7.5	6.0	4.6	5.2
29	11.9	10.8	11.5	8.1	7.3	7.8	7.9	6.7	7.3	6.4	5.1	5.8
30	11.0	10.1	10.6	8.9	8.0	8.5	8.8	7.9	8.3	7.2	6.2	6.6
31	11.2	10.4	10.8	---	---	---	8.1	7.2	7.7	7.9	6.8	7.5
MONTH	15.0	9.2	11.9	11.3	4.5	7.9	9.3	3.4	6.7	9.5	4.4	7.0

12128000 THORNTON CREEK NEAR SEATTLE, WA--Continued

TEMPERATURE, WATER (DEG. C), WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
		FEBRUARY			MARCH			APRIL			MAY	
1	7.7	6.2	7.0	7.5	5.8	6.6	9.8	8.8	9.3	11.7	10.0	10.8
2	7.6	6.9	7.1	7.6	6.3	6.9	9.2	8.2	8.7	12.7	9.8	11.2
3	7.7	6.7	7.2	7.5	5.6	6.6	9.3	8.1	8.7	12.1	9.2	10.8
4	8.0	6.8	7.3	7.6	5.0	6.4	11.3	7.4	9.2	11.6	10.2	11.0
5	7.7	7.0	7.4	9.7	7.4	8.3	10.2	8.8	9.3	11.8	10.3	11.1
6	7.0	5.1	6.3	9.7	6.6	8.2	10.3	8.4	9.2	13.0	8.9	10.9
7	5.2	3.7	4.6	10.2	6.9	8.7	10.1	7.6	9.0	13.6	9.8	11.8
8	5.2	4.6	4.9	10.3	9.2	10.0	9.8	7.8	8.8	12.4	10.9	11.5
9	6.1	5.1	5.5	9.4	7.8	8.8	10.4	7.3	8.9	13.4	9.5	11.4
10	5.8	3.9	4.9	8.5	7.0	7.8	9.7	8.8	9.1	13.9	10.8	12.2
11	5.9	4.2	5.0	9.2	7.6	8.4	11.5	7.8	9.4	14.7	10.7	12.6
12	5.8	4.0	4.9	9.2	8.5	8.9	9.4	7.5	8.6	14.5	11.6	13.1
13	5.9	4.1	5.0	10.1	8.7	9.2	9.9	7.9	8.8	13.7	12.0	12.8
14	6.2	4.3	5.3	10.2	7.6	8.8	11.0	7.3	9.1	13.1	11.9	12.6
15	6.8	5.2	6.3	9.2	8.1	8.6	12.2	7.6	9.9	13.9	11.7	12.7
16	5.2	2.6	3.6	8.7	7.4	8.0	13.0	9.8	11.3	13.7	11.7	12.7
17	5.3	3.7	4.5	9.7	7.8	8.8	12.9	10.7	11.8	12.4	10.8	11.5
18	6.5	4.9	5.6	10.9	9.2	10.0	13.3	10.1	11.6	13.3	10.9	12.0
19	6.9	4.9	5.9	10.4	8.4	9.3	12.0	9.4	10.7	12.2	11.0	11.6
20	7.3	4.9	6.1	10.2	7.0	8.7	12.9	9.2	10.8	14.2	10.2	12.1
21	8.0	5.9	6.9	10.2	7.3	8.8	13.4	8.9	11.2	16.0	10.6	13.1
22	8.2	6.7	7.5	10.1	6.3	8.2	11.9	10.3	10.9	17.2	12.2	14.7
23	7.6	5.9	6.8	10.7	6.7	8.7	12.2	10.2	11.0	17.7	13.6	15.6
24	7.9	6.6	7.3	11.8	7.9	9.7	14.8	10.8	12.6	16.1	13.9	15.0
25	7.4	5.5	6.4	11.8	10.3	11.2	15.6	11.2	13.3	16.8	12.4	14.6
26	6.9	4.5	5.8	10.5	9.2	9.8	15.3	11.7	13.5	16.7	12.9	14.8
27	7.3	4.6	6.0	9.2	8.0	8.5	13.7	11.8	12.6	16.9	13.3	15.0
28	7.2	4.8	6.1	9.4	8.7	9.0	12.6	10.8	11.7	15.4	14.0	14.6
29	---	---	---	9.4	8.4	8.9	12.1	9.9	11.2	15.0	13.0	13.9
30	---	---	---	10.7	9.0	9.7	12.3	10.5	11.3	15.3	12.8	13.8
31	---	---	---	11.1	9.4	10.0	---	---	---	17.5	12.4	14.8
MONTH	8.2	2.6	6.0	11.8	5.0	8.7	15.6	7.3	10.4	17.7	8.9	12.8

DAY	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN	MAX	MIN	MEAN
		JUNE			JULY			AUGUST			SEPTEMBER	
1	16.0	13.7	14.5	17.1	14.1	15.4	16.0	13.7	15.0	17.9	16.2	16.9
2	14.5	12.2	13.2	17.8	13.4	15.5	18.3	15.2	16.4	17.2	15.0	16.1
3	14.2	12.2	13.2	18.3	14.0	16.2	16.9	15.7	16.3	16.5	15.4	15.8
4	13.9	11.5	12.8	18.8	14.7	16.7	17.2	15.2	16.1	15.7	14.5	15.1
5	13.7	12.2	13.0	16.7	14.5	15.6	16.8	14.9	15.9	15.1	13.9	14.4
6	15.5	12.8	13.9	17.3	13.4	15.2	18.5	16.1	16.9	15.0	13.5	14.2
7	17.0	12.8	14.8	17.4	13.6	15.4	18.2	15.4	16.7	15.9	13.8	14.7
8	17.4	14.0	15.6	18.0	14.0	16.0	18.2	14.3	16.3	15.7	12.7	14.3
9	16.1	14.3	15.3	19.0	14.7	16.8	19.1	14.8	16.9	15.6	12.9	14.3
10	14.3	12.8	13.6	19.0	15.3	17.1	19.3	15.2	17.3	15.8	12.7	14.2
11	14.9	13.1	13.8	18.6	14.9	16.7	19.1	15.9	17.4	16.0	13.0	14.5
12	13.8	12.6	13.1	17.7	14.8	16.3	19.2	15.5	17.3	17.0	13.2	15.0
13	14.7	12.5	13.6	17.3	14.7	15.9	18.7	16.0	17.3	16.6	13.6	15.1
14	14.9	13.1	14.0	16.8	14.0	15.5	18.5	15.4	16.9	16.9	13.9	15.3
15	14.5	13.1	13.8	16.8	14.0	14.6	18.2	15.4	16.7	16.6	14.1	15.3
16	14.3	12.4	13.4	16.2	14.7	15.3	17.0	15.4	15.9	15.5	14.0	14.5
17	14.5	12.3	13.4	16.1	14.2	15.1	16.9	14.9	15.7	14.5	13.8	14.1
18	16.1	13.0	14.2	16.6	14.6	15.5	16.8	15.2	15.9	14.6	13.8	14.2
19	17.1	12.7	14.8	17.3	14.8	15.8	16.8	14.9	15.7	15.0	13.5	14.1
20	17.9	13.6	15.7	17.7	14.3	15.9	16.3	13.7	15.1	14.4	11.9	13.3
21	18.2	14.2	16.2	16.4	14.9	15.4	16.9	14.7	15.4	14.3	13.3	13.8
22	16.4	14.5	15.1	17.0	14.9	15.7	17.8	16.8	17.2	15.7	13.1	14.3
23	15.8	13.7	14.6	18.8	15.2	16.8	17.2	16.2	16.5	16.0	13.5	14.7
24	14.6	13.3	13.8	18.3	15.8	16.9	17.2	14.8	16.0	15.1	13.9	14.6
25	15.9	13.0	14.2	18.7	15.0	16.8	17.2	14.0	15.6	14.8	14.3	14.6
26	16.2	13.2	14.5	18.1	15.0	16.4	17.4	14.3	15.8	15.4	14.3	14.7
27	17.3	14.4	15.8	16.6	14.8	15.5	17.7	14.4	16.1	14.3	12.0	13.0
28	17.0	15.4	16.2	17.0	14.7	15.7	18.0	15.2	16.5	13.4	11.1	12.3
29	17.4	13.2	15.3	16.1	14.2	15.0	18.1	15.2	16.6	14.0	11.6	12.7
30	17.0	13.4	15.3	16.8	13.5	15.1	18.1	15.2	16.6	14.0	12.4	13.2
31	---	---	---	16.6	14.3	15.4	17.8	15.9	16.8	---	---	---
MONTH	18.2	11.5	14.4	19.0	13.4	15.8	19.3	13.7	16.3	17.9	11.1	14.4
YEAR	19.3	2.6	11.1									

12128000 THORNTON CREEK NEAR SEATTLE, WA--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	TIME	DIS-CHARGE, INST. CUBIC FEET PER SECOND (00061)	BARO-METRIC PRES-SURE (MM OF HG) (00025)	OXYGEN, DIS-SOLVED (MG/L) (00300)	OXYGEN, DIS-SOLVED (PER-CENT SATUR-ATION) (00301)	PH WATER WHOLE FIELD (STAND-ARD UNITS) (00400)	SPE-CIFIC CON-DUCT-ANCE (US/CM) (00095)	TEMPER-ATURE AIR (DEG C) (00020)	TEMPER-ATURE WATER (DEG C) (00010)	HARD-NESS NONCARB DISSOLV FLD. AS CACO3 (MG/L) (00904)	HARD-NESS TOTAL (MG/L AS CACO3) (00900)	CALCIUM DIS-SOLVED (MG/L AS CA) (00915)	MAGNE-SIUM, DIS-SOLVED (MG/L AS MG) (00925)
JAN													
11...	0940	7.5	758	11.3	95	7.5	221	8.1	7.4	20	97	19.6	11.7
FEB													
08...	1000	16	765	12.3	96	7.3	210	3.9	4.9	15	86	17.9	10.1
MAR													
07...	1130	6.8	768	12.7	106	8.0	237	13.5	7.9	3	87	17.3	10.7
APR													
11...	1120	8.7	765	11.8	101	7.6	186	12.6	8.7	9	78	16.4	8.86
MAY													
16...	0830	12	767	11.7	107	7.5	144	10.9	11.7	6	59	12.7	6.59
JUN													
07...	0950	4.0	769	11.6	109	7.9	233	15.9	13.1	11	100	19.3	12.6
JUL													
11...	0830	3.6	765	9.4	93	8.0	247	20.5	14.9	11	100	19.5	13.1
AUG													
14...	1010	2.7	768	9.7	97	8.0	311	16.9	15.9	34	120	25.4	14.3
SEP													
13...	0930	3.1	765	9.8	94	7.8	250	15.0	13.6	11	100	19.3	13.1

DATE	POTAS-SIUM, DIS-SOLVED (MG/L AS K) (00935)	SODIUM AD-SORP-TION RATIO (00931)	SODIUM, DIS-SOLVED (MG/L AS NA) (00930)	SODIUM PERCENT (00932)	ALKA-LINITY WAT DIS TOT IT FIELD MG/L AS CACO3 (39086)	BICAR-BONATE WATER DIS IT FIELD MG/L AS HCO3 (00453)	CAR-BONATE WATER DIS IT FIELD MG/L AS CO3 (00452)	CHLO-RIDE, DIS-SOLVED (MG/L AS CL) (00940)	FLUO-RIDE, DIS-SOLVED (MG/L AS F) (00950)	SILICA, DIS-SOLVED (MG/L AS SIO2) (00955)	SULFATE DIS-SOLVED (MG/L AS SO4) (00945)	SOLIDS, DIS-SOLVED (TONS PER AC-FT) (70303)	SOLIDS, DIS-SOLVED (TONS PER DAY) (70302)
JAN													
11...	2.41	.3	7.2	14	77	94	.0	6.4	<.2	26.7	17.1	.20	3.02
FEB													
08...	2.09	.3	7.0	15	71	87	.0	6.6	<.2	23.1	15.6	.19	6.14
MAR													
07...	1.97	.3	6.7	14	84	103	.0	7.0	<.2	23.6	18.0	.22	2.94
APR													
11...	1.94	.3	6.2	14	69	84	.0	5.0	E.1	20.4	13.1	.18	3.14
MAY													
16...	2.06	.3	4.5	14	52	64	.0	4.1	<.2	14.9	10.2	.15	3.63
JUN													
07...	2.47	.3	8.0	14	90	109	.0	6.8	E.1	28.6	16.4	.21	1.70
JUL													
11...	2.48	.4	8.7	15	93	112	.0	6.8	<.2	29.6	17.0	.23	1.64
AUG													
14...	2.84	.5	11.5	17	89	108	.0	27.0	<.2	31.7	17.7	.27	1.44
SEP													
13...	2.88	.4	8.2	15	91	111	.0	7.6	<.2	32.2	18.6	.22	1.39

DATE	SOLIDS, RESIDUE AT 180 DEG. C DIS-SOLVED (MG/L) (70300)	SOLIDS, SUM OF CONSTI-TUENTS, DIS-SOLVED (MG/L) (70301)	NITRO-GEN, AMMONIA DIS-SOLVED (MG/L AS N) (00608)	NITRO-GEN,AM-MONIA + ORGANIC DIS. (MG/L AS N) (00623)	NITRO-GEN,AM-MONIA + ORGANIC TOTAL (MG/L AS N) (00625)	NITRO-GEN, NO2+NO3 DIS-SOLVED (MG/L AS N) (00631)	NITRO-GEN, NITRITE DIS-SOLVED (MG/L AS N) (00613)	NITRO-GEN, TOTAL (MG/L AS N) (00600)	PHOS-PHORUS DIS-SOLVED (MG/L AS P) (00666)	PHOS-PHORUS ORTHO, DIS-SOLVED (MG/L AS P) (00671)	PHOS-PHORUS TOTAL (MG/L AS P) (00665)	IRON, DIS-SOLVED (UG/L AS FE) (01046)	MANGA-NESE, DIS-SOLVED (UG/L AS MN) (01056)
JAN													
11...	150	144	E.029	.18	.20	1.34	.008	1.54	.031	.025	.048	180	37.7
FEB													
08...	143	132	.058	.24	.37	1.39	.011	1.76	.029	.020	.066	150	33.8
MAR													
07...	160	141	<.041	.14	.19	1.19	E.005	1.38	.032	.021	.051	110	33.6
APR													
11...	134	118	<.041	.20	.28	.966	.007	1.25	.030	.025	.056	200	40.4
MAY													
16...	111	89	.058	.41	.60	.573	.009	1.17	.042	.025	.102	130	28.3
JUN													
07...	158	153	<.040	.15	.25	1.10	.008	1.35	.048	.032	.078	150	36.5
JUL													
11...	171	157	<.040	.12	.33	1.07	E.005	1.40	.048	.039	.094	130	34.3
AUG													
14...	195	189	E.032	.19	.26	1.11	.012	1.37	.069	.046	.093	100	28.7
SEP													
13...	165	162	<.040	.11	.19	1.21	E.005	1.40	.057	.042	.079	80	24.3

12128000 THORNTON CREEK NEAR SEATTLE, WA--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	2,6-DI-ETHYL ANILINE WAT FLT 0.7 U GF, REC (UG/L) (82660)	ACETO-CHLOR, WATER FLTRD REC (UG/L) (49260)	ALA-CHLOR, WATER, DISS, REC, (UG/L) (46342)	ALPHA BHC DIS-SOLVED (UG/L) (34253)	ATRA-ZINE, WATER, DISS, REC (UG/L) (39632)	BEN-FLUR-ALIN WAT FLD 0.7 U GF, REC (UG/L) (82673)	BUTYL-ATE, WATER, DISS, REC (UG/L) (04028)	CAR-BARYL WATER FLTRD 0.7 U GF, REC (UG/L) (82680)	CARBO-FURAN WATER FLTRD 0.7 U GF, REC (UG/L) (82674)	CHLOR-PYRIFOS DIS-SOLVED (UG/L) (38933)	CYANA-ZINE, WATER, DISS, REC (UG/L) (04041)	DCPA WATER FLTRD 0.7 U GF, REC (UG/L) (82682)	DEETHYL ATRA-ZINE, WATER, DISS, REC (UG/L) (04040)
JAN													
11...	<.002	<.004	<.002	<.005	<.007	<.010	<.002	<.041	<.020	<.005	<.018	<.003	<.006
FEB													
08...	<.002	<.004	<.002	<.005	<.007	<.010	<.002	E.072	<.020	<.005	<.018	<.003	<.006
MAR													
07...	<.002	<.004	<.002	<.005	<.007	<.010	<.002	E.009	<.020	<.005	<.018	<.003	<.006
APR													
11...	<.002	<.004	<.002	<.005	<.007	<.010	<.002	E.018	<.020	<.005	<.018	<.003	<.006
MAY													
16...	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN													
07...	<.002	<.004	<.002	<.005	<.007	<.010	<.002	<.041	<.020	<.005	<.018	<.003	<.006
JUL													
11...	<.002	<.004	<.002	<.005	<.007	<.010	<.002	<.041	<.020	<.005	<.018	<.003	<.006
AUG													
14...	<.002	<.004	<.002	<.005	<.007	<.010	<.002	<.041	<.020	<.005	<.018	<.003	<.006
SEP													
13...	<.002	<.004	<.002	<.005	<.007	<.010	<.002	<.041	<.020	<.005	<.018	<.003	<.006

DATE	DI-AZINON, DIS-SOLVED (UG/L) (39572)	DI-ELDRIN DIS-SOLVED (UG/L) (39381)	DISUL-FOTON WATER FLTRD 0.7 U GF, REC (UG/L) (82677)	EPTC WATER FLTRD 0.7 U GF, REC (UG/L) (82668)	ETHAL-FLUR-ALIN WAT FLT 0.7 U GF, REC (UG/L) (82663)	ETHO-PROP WATER FLTRD 0.7 U GF, REC (UG/L) (82672)	FONOFOS WATER DISS REC (UG/L) (04095)	LINDANE DIS-SOLVED (UG/L) (39341)	LIN-URON WATER FLTRD 0.7 U GF, REC (UG/L) (82666)	MALA-THION, DIS-SOLVED (UG/L) (39532)	METHYL AZIN-PHOS WAT FLT 0.7 U GF, REC (UG/L) (82686)	METHYL PARA-THION WAT FLT 0.7 U GF, REC (UG/L) (82667)	METO-LACHLOR WATER DISSOLV (UG/L) (39415)
JAN													
11...	.011	<.005	<.021	<.002	<.009	<.005	<.003	<.004	<.035	<.027	<.050	<.006	<.013
FEB													
08...	.031	<.005	<.021	<.002	<.009	<.005	<.003	<.004	<.035	<.027	<.050	<.006	<.013
MAR													
07...	.006	<.005	<.021	<.002	<.009	<.005	<.003	<.004	<.035	<.027	<.050	<.006	<.013
APR													
11...	.019	<.005	<.021	<.002	<.009	<.005	<.003	<.004	<.035	<.027	<.050	<.006	<.013
MAY													
16...	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN													
07...	.007	<.005	<.021	<.002	<.009	<.005	<.003	<.004	<.035	<.027	<.050	<.006	<.013
JUL													
11...	<.005	<.005	<.021	<.002	<.009	<.005	<.003	<.004	<.035	<.027	<.050	<.006	<.013
AUG													
14...	<.005	<.005	<.021	<.002	<.009	<.005	<.003	<.004	<.035	<.027	<.050	<.006	<.013
SEP													
13...	<.005	<.005	<.021	<.002	<.009	<.005	<.003	<.004	<.035	<.027	<.050	<.006	<.013

DATE	METRI-BUZIN SENCOR WATER DISSOLV (UG/L) (82630)	MOL-INATE WATER FLTRD 0.7 U GF, REC (UG/L) (82671)	NAPROP-AMIDE WATER FLTRD 0.7 U GF, REC (UG/L) (82684)	P,P' DDE DISSOLV (UG/L) (34653)	PARA-THION, DIS-SOLVED (UG/L) (39542)	PEB-ULATE WATER FILTRD 0.7 U GF, REC (UG/L) (82669)	PENDI-METH-ALIN WAT FLT 0.7 U GF, REC (UG/L) (82683)	PER-METHRIN CIS WAT FLT 0.7 U GF, REC (UG/L) (82687)	PHORATE WATER FLTRD 0.7 U GF, REC (UG/L) (82664)	PRO-METON, WATER, DISS, REC (UG/L) (04037)	PRON-AMIDE WATER FLTRD 0.7 U GF, REC (UG/L) (82676)	PROPA-CHLOR, WATER, DISS, REC (UG/L) (04024)	PRO-PANIL WATER FLTRD 0.7 U GF, REC (UG/L) (82679)
JAN													
11...	<.006	<.002	<.007	<.003	<.007	<.002	<.010	<.006	<.011	E.013	<.004	<.010	<.011
FEB													
08...	<.006	<.002	<.007	<.003	<.007	<.002	<.010	<.006	<.011	<.015	<.004	<.010	<.011
MAR													
07...	<.006	<.002	<.007	<.003	<.007	<.002	<.010	<.006	<.011	<.015	<.004	<.010	<.011
APR													
11...	<.006	<.002	<.007	<.003	<.007	<.002	<.010	<.006	<.011	E.011	<.004	<.010	<.011
MAY													
16...	--	--	--	--	--	--	--	--	--	--	--	--	--
JUN													
07...	<.006	<.002	<.007	<.003	<.007	<.002	<.010	<.006	<.011	E.008	<.004	<.010	<.011
JUL													
11...	<.006	<.002	<.007	<.003	<.007	<.002	<.010	<.006	<.011	E.006	<.004	<.010	<.011
AUG													
14...	<.006	<.002	<.007	<.003	<.007	<.002	<.010	<.006	<.011	E.009	<.004	<.010	<.011
SEP													
13...	<.006	<.002	<.007	<.003	<.007	<.002	<.010	<.006	<.011	<.015	<.004	<.010	<.011

12128000 THORNTON CREEK NEAR SEATTLE, WA--Continued

WATER-QUALITY DATA, WATER YEAR OCTOBER 2000 TO SEPTEMBER 2001

DATE	PRO-PARGITE WATER FLTRD 0.7 U GF, REC (UG/L) (82685)	SI-MAZINE, WATER, DISS, REC (UG/L) (04035)	TEBU-THIURON WATER FLTRD 0.7 U GF, REC (UG/L) (82670)	TER-BACIL WATER FLTRD 0.7 U GF, REC (UG/L) (82665)	TER-BUFOS WATER FLTRD 0.7 U GF, REC (UG/L) (82675)	THIO-BENCARB WATER FLTRD 0.7 U GF, REC (UG/L) (82681)	TRIAL-LATE WATER FLTRD 0.7 U GF, REC (UG/L) (82678)	TRI-FLUR-ALIN WAT FLT 0.7 U GF, REC (UG/L) (82661)	SEDI-MENT, SUS-PENDED (MG/L) (80154)	SEDI-MENT, DIS-CHARGE, SUS-PENDED (T/DAY) (80155)
JAN										
11...	<.023	<.011	<.016	<.034	<.017	<.005	<.002	<.009	5	.10
FEB										
08...	<.023	<.011	<.016	<.034	<.017	<.005	<.002	<.009	13	.56
MAR										
07...	<.023	<.011	<.016	<.034	<.017	<.005	<.002	<.009	3	.06
APR										
11...	<.023	E.004	<.016	<.034	<.017	<.005	<.002	<.009	8	.19
MAY										
16...	--	--	--	--	--	--	--	--	18	.59
JUN										
07...	<.023	<.011	<.016	<.034	<.017	<.005	<.002	<.009	6	.06
JUL										
11...	<.023	<.011	<.016	<.034	<.017	<.005	<.002	<.009	13	.12
AUG										
14...	<.023	<.011	<.016	<.034	<.017	<.005	<.002	<.009	11	.08
SEP										
13...	<.023	<.011	<.016	<.034	<.017	<.005	<.002	<.009	3	.03